PHILIPPINE PORTS AUTHORITY

INVITATION FOR SUBMISSION OF QUOTATION
(SMALL VALUE PROCUREMENT)

The ***PHILIPPINE PORTS AUTHORITY, PORT MANAGEMENT OFFICE OF BOHOL,*** through its Bids and Awards Committee (BAC), requests suppliers, contractors or bidders to submit quotation for the herein procurement:

Title of Procurement: **SUPPLY, DELIVERY AND INSTALLATION OF OFFICE EQUIPMENT (SOUND SYSTEM)**

Approved Budget for the Contract (ABC): Php226,834.00

Scope of Work:

1. Service Features and deliverables

Sound System (1 set)

Passive Speaker (250 to 500 W), Model: BR10 (4 units)
Specifications:
Frequency Range (-10dB): 65Hz-20kHz
Nominal Coverage: H=90; V=40
Components: LF = 10" cone; HF=Horn 1", voice coil
Titanium diaphragm
Power Rating: Noise = 125W (EIA); PGM=250W; Peak=500W
Nominal Impedance: 8ohms
SPL: Sensitivity (1 W; 1m on axis) =96dB SPL
Continuous (Calculated) = 117dB SPL
Peak (Calculated) = 123dB SPL
I/O Connectors: 2 x Phone
Dimensions: W=394mm X H=537mm X D=326mm
Net Weight: 14.4 kgs
Powered Amplifier 2 x 800W, Model: PX8 (1 unit)
Specifications:
2-channel Pro Audio Amplifier, Power output at 20-20,000 Hz
700W RMS per channel @ 8ohms; 950W RMS per channel @4ohms; 1900W RMS (mono) @ 8ohms in bridged mode;
Power output at 1kHz
700W RMS per channel @ 8ohms; 1100W RMS per channel @ 4ohms; 2200W RMS (mono) @ 8ohms in bridged mode; 3200W RMS (mono) @ 4ohms in bridged mode

PHILIPPINE PORTS AUTHORITY

Frequency Response: 20-50,000 Hz (-1.50dB)
Signal-to-noise ratio:104dB
Inputs: XLR and 1/4" TRS for channels A and B
Outputs: Neutrik Speakon jacks, 5-way binding posts, 1/4" jacks
Independent right and left-channel level controls for precise volume matching
Variable high-and low-pass crossovers for each channel (25-150Hz)
Dual variable-speed fans for heat dissipation
DC, short circuit, and overload protection w/ automatic reset
Power-matched to Yamaha's Club-series speakers
Front-Panel LEDs indicate power, active status and protection warning for easier troubleshooting
Weight: 26.5lbs
Dimensions: 18-7/8W x 3-7/16"H x 17-15/16"D (2 rack spaces)
Analog Mixer, Model: MGP-16X (1 unit)
Specifications:
Channels: 16 Line inputs (8 mono and 4 stereo)
Groups: 4 Group buses + ST bus
AUX Input: 2 Aux Sends + 2 FX Sends
Compressor: Compressor CH1-8, HPF (100Hz 12dB/oct)
Mono: ±15dB (Max), High 8kHz shelving/Mid 250HZ-5kHz peaking (CH1-8,9-16)/Low 125Hz shelving
Stereo: ± 15dB (Max); High 8kHz shelving/Mid 2.5kHz peaking (CH9-12)/Low 125Hz shelving
Effects: FX1: REV-X (8 Program, Parameter control),
FX2, SPX (16 Program, Parameter Control)
Microphone Inputs: 10, (100Hz 12dB/oct)
Phantom Power: 48V per channel
Line: 8 mono + 4 stereo; Channel insert in 8;
Return: 1 stereo
Line Inputs: @ TR IN: 1 stereo
Digital I/O: USB audio USB in: iPod, iPhone exclusive
THD: 0.02% (20Hz-20kHz @ + 14dBu)
Frequency Response: +0.5/-1.0dB 20Hz-20kHz, refer to the nominal output level @ 1kHz
EIN:-128dBu (20Hz-20kHz, Rs=150Ω, input; gain=maximum
Residual Output Noise:-102dBu (20Hz-20kHz, Rs=150Ω, input gain=maximum)
Crosstalk:-74B @ 1kHz
Power Requirements: 100-240V 50Hz/60Hz; Consumption=55W
Dimensions: 17.59"W x 5.62"H x 19.48"D
Microphone Cable, Model: YP-MIC-05 (2 units)
Klotz PL Speak on Cables, Model: SC3-SP15 (2 units)

PHILIPPINE PORTS AUTHORITY

Klotz PL-PL, Model: SC3PP15 (2 units)
Speaker Stand, Model: SPS-2M (4 units)
Tour Rack, Audio Rack w/wooden benches and metal frame (1 unit)

Note: Includes freight, handling, delivery and commissioning

2. **Customer Responsibility**
   - 2.1 To provide the technical requirement
   - 2.2 To provide the existing network information
   - 2.3 To coordinate with other working parties

3. **Testing Process**
   - 3.1 Installed Devices and must be tested and all test must pass acceptance of the customer representative.
   - 3.2 Testing of all supplied equipment.
   - 3.3 Commissioning of the entire system.

4. **Submission of Quotation/Requirements.**

Prospective bidders shall submit their quotations, together with the Certified True Copies of the following documents in three (3) sets, one (1) original and two (2) duplicate copies:

1. Valid Mayor's Permit
2. Valid PhilGEPS Registration Number
4. Latest Income/Business Tax Return
5. Duly Notarized Omnibus Sworn Statement

A complete set of quotation forms may be purchased by interested suppliers/bidders from the address given below and upon payment of a **non-refundable** fee for the documents in the amount of **FIVE HUNDRED PESOS ONLY (₱ 500.00)** perPPA Memorandum Circular No. 10-2012 dated September 19, 2012.

Procurement will be conducted in consonance with Section 53.9 of the Revised Implementing Rules and Regulations Part A (IRR-A) of Republic Act 9184 (R.A. 9184), otherwise known as the "Government Procurement Reform Act". Only sealed quotations from eligible suppliers/bidders shall be opened and contract will only be awarded to the **Lowest Calculated and Responsive Bid** who will be determined during the conduct of the post-qualification.

The PPA, PMO-Bohol will hold a **Pre-Bidding Conference on August 9, 2018, 9:00 AM at the Multi-Purpose Hall, PPA PMO-Bohol Administration Building, Port Area, Tagbilaran City, Bohol. It shall be opened only to all interested parties who have purchased the documents.**

PHILIPPINE PORTS AUTHORITY

Quotations must be submitted to the address given below on or before **9:00 AM of Thursday, 23 August 2018** to the Secretariat, Bids and Awards Committee (BAC). Said quotations will be opened on the same day at **10:30 AM.**

The Philippine Ports Authority, PMO – Bohol reserves the right to accept or reject any quotation, to annul the procurement process at any time prior to contract award; without thereby incurring any liability to the affected Supplier/Bidder.

For further information, please contact the:

BAC Secretariat
PPA, PMO-Bohol
Port Area, Tagbilaran City, Bohol
Tel. Nos. (038) 501-8138
PPA website: www.ppa.gov.ph
Fax No. (038) 501-8138

RICHARD S. ELOPRE
BAC Chairperson
PPA, PMO-Bohol

Noted :

JAMES J. GANTALAO
Port Manager