



**REQUEST FOR QUOTATION
SUPPLY AND DELIVERY OF VARIOUS OFFICE EQUIPMENT FOR CY 2023**

The PMO-NCR North Bids and Awards Committee (PMO-NCR-NORTH-BAC) intends to procure supply and delivery of Various Office Equipment for CY 2023 through Small Value Procurement, in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

Name of Project : Supply and Delivery of Various Office Equipment for CY 2023

Approved Budget for the Contract : Two Hundred Twenty-Five Thousand Pesos Only (P225,000.00)

Location : PMO-NCR North Admin. Bldg. Mel Lopez Boulevard, North Harbor, Tondo, Manila

Delivery Date : Upon Issuance of Approved Purchase Order

Interested suppliers are required to submit their valid Mayor's/Business Permit and PhilGEPS Registration Number and Omnibus Sworn Statement.

The price quotation and eligibility documents must be submitted **on or before February 28, 2023, 5:00 p.m.** to the PMO-NCR North BAC Secretariat at the PMO-NCR North Admin Bldg., Mel Lopez Blvd., North Harbor, Tondo, Manila. Please submit your lowest and most responsive quotation together with the RFQ in a sealed envelope marked as follows:

The Chairperson
PMO-NCR North Bids and Awards Committee
Supply and Delivery of Various Office Equipment for CY 2023
PMO-NCR North Admin. Bldg. Mel Lopez Boulevard,
North Harbor, Tondo, Manila

The PMO-NCR North Bids and Awards Committee reserves the right to accept or reject any price quotation, waive any formality in the RFQ, annul the procurement process, reject any or all price quotations at any time prior to contract award, declare the procurement process a failure, without thereby incurring any liability to the affected Participating Supplier or any person.

For further information, please refer to:

The BAC Secretariat
PMO-NCR North Bids and Awards Committee
G/F, PMO-NCR North Admin. Bldg.,
Mel Lopez Boulevard, North Harbor, Tondo, Manila
Telefax No. #8245-2929

Email Address: bac.ncrn@gmail.com

Very truly yours,


FRANCIS ALDRICH A. RUBIO
BAC Chairperson

REQUEST FOR QUOTATION

Date: _____

MR. FRANCIS ALDRICH A. RUBIO

Chairperson, Bids and Awards Committee
 Port Management Office-NCR North
 Administration Bldg. Mel Lopez Blvd.
 North Harbor, Tondo, Manila

Dear Mr. Rubio;

After having carefully read and accepted the terms and conditions in the Request for Quotation (RFQ) for the **"Supply and Delivery of Various Office Equipment for CY 2023"** posted by your office, we hereby submit our proposal corresponding to your requirements.

ITEM	QTY	UNIT	ARTICLE(S) AND DESCRIPTION	UNIT PRICE	TOTAL AMOUNT
1	1	Unit	Printer, Dot Matrix	P	P
2	1	Set	Multi-Media Speaker	P	P
3	8	Unit	Printer, Ink Tank with Scanner	P	P
4	1	Unit	Scanner with ADF	P	P
5	2	Unit	Printer, Toner Ink	P	P
6	1	Unit	Pressure washer, Portable	P	P
				TOTAL AMOUNT	

NOTE:

1. Quoted price shall be inclusive of applicable taxes and shall be firm and valid for a period of at least thirty (30) days from receipt of quotation and shall be binding upon the supplier within the period.
2. Delivery period shall be within fourteen (14) working days from receipt of Notice of Award/Purchase Order.
3. The P.O. shall be awarded to the lowest calculated responsive bid. Delivered items are subject to inspection, with payment processing to commence only after acceptance by the end-users.

4. Terms of Payment within thirty (30) calendar days from date of acceptance.
5. Bidders shall submit with the quotations technical brochures of the products being offered.
6. As a government agency, PPA shall deal only with legitimate suppliers/contractors which issue BIR-registered official receipts.
7. PPA reserves the right to post-qualify any supplier and/or reject any or all submitted quotations.

Name of Company: _____

Delivery Period: _____

Warranty Period: _____

Price Validity: _____

After having carefully read and accepted your conditions above, I/We quote you on the item at prices specified in the quotation form.

Print Name and Signature

Telephone Number

Email address

Date

TECHNICAL SPECIFICATION

PRINTER DOT MATRIX

Printing Technology:

Print Method: Impact dot matrix

Control Panel: 4 switches and 5 LEDs

Print Direction: Bi-direction with logic seeking

Number of Pins in Head: 9 pins

Control Code: ESC/P and IBM PPDS emulation

Number of Pins: 9

Print Speed:

High Speed Draft: (10 / 12 / 15 cpi): 347 / 357 / 390 cps

(Condensed, 17 / 20 cpi): 383 / 298 cps

Draft: (10 / 12 / 15 cpi): 260 / 312 / 223 cps

(Condensed, 17 / 20 cpi): 222 / 260 cps

(Emphasized, 10 cpi): 130 cps **NLQ:** (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps

Reliability:

Printhead Life: Approx. 400 million strokes/wire

Mean Print Volume Between Failure (MVBF): Approx. 20 million lines (Except print head)

Mean Time Between Failure (MTBF): Approx. 10,000 POH (25% Duty)

Print Characteristics:

Character Sets: Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC863 (Canadian French), PC865 (Nordic), Abicom, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15

Bitmap Fonts: Epson Draft: 10, 12, 15 cpi; Epson Roman & Sans Serif: 10, 12, 15 cpi, Proportional, Epson OCR-B

Barcode: EAN-13, EAN-8, Interleaved 2 of 5, UPC-A, UPC-E, Code 39, Code 128, Postnet

Paper Path:

Manual Insertion: Rear in, Top out

Push Tractor: Rear in, Top out

Paper Media:

Cut Sheet (Single Sheet): Length: 100 ~ 364mm (3.9 ~ 14.3")

Width: 100 ~ 257mm (3.9 ~ 10.1")

Thickness: 0.065 ~ 0.14mm (0.0025 ~ 0.0055")

Cut Sheet (Multi-part Forms): Length: 100 ~ 364mm (3.9 ~ 14.3")

Width: 100 ~ 257mm (3.9 ~ 10.1")

Thickness: 0.12 ~ 0.39mm (0.0047 ~ 0.015") (Total)

Continuous Paper (Single Sheet / Multi-part): Length: 101.6 ~ 558.8mm (4.0 ~ 22.0")

Width: 101.6 ~ 254.0mm (4.0 ~ 10.0")

Thickness: 0.065 ~ 0.39mm (0.0025 ~ 0.015") (Total)

Envelope (No.6): Length: 92mm (3.6")

Width: 165mm (6.5")

Thickness: 0.16 ~ 0.52mm (0.0063 ~ 0.0205") (Total)

Envelope (No.10): Length: 105mm (4.1")

Width: 241mm (9.5")

Thickness: 0.16 ~ 0.52mm (0.0063 ~ 0.0205") (Total)

Roll Paper: Width: 216mm (8.5")

Thickness: 0.07 ~ 0.09mm (0.0028 ~ 0.0035")

Supported OS and Applications:

Supported OS: Microsoft® Windows® 2000 / XP / Vista / 7 / 8 / 8.1 / 10

Dimensions and Weight:

Dimensions (W x D x H): 362 x 275 x 154 mm

Weight: Approx. 4.1 kg

Consumables:

Ribbon Cartridge Black: Ribbon Life: Approx. 4.0 million characters (Draft 10 cpi, 14 dots/character)

Environmental Conditions (Operating):

Temperature: 5 ~ 35°C

Humidity: 10 ~ 80 % RH

Acoustic Noise:

Acoustic Noise: Approx. 53 dB(A) (ISO 7779 pattern)

Input Data Buffer:

Input Data Buffer: 128KB

	<p>Interface: Standard:Bi-directional parallel (IEEE-1284 nibble mode supported)</p> <p>USB 2.0 Full-Speed Serial</p> <p>Ribbon Cartridge: Standard:Fabric Ribbon Cartridge (Black) - C13S015632 Ribbon Life:Approx. 4.0 million characters (Draft 10 cpi, 14 dots/character)</p>
MULTI MEDIA SPEAKER	<p>Technical Specifications</p> <p><i>Total Watt (RMS): 25 W</i> <i>Subwoofer: 15 W</i> <i>Satellites: 2 x 5 W</i> <i>3.5 mm input: 1</i> <i>Headphone jack: 1</i> <i>Controls: Power and volume controls on wired control pod</i></p>
PRINTER INK TANK WITH SCANNER	<p>Printer Type: Printer Type:Print, Scan, Copy</p> <p>Printing Technology: Print Method:On-demand inkjet (Piezoelectric) Printer Language:ESC/P-R, ESC/P Raster Nozzle Configuration:180 x 1 nozzles Black, 59 x 1 nozzles per Colour (Cyan, Magenta, Yellow) Maximum Resolution:5760 x 1440 dpi Automatic 2-sided Printing:No</p> <p>Print Speed: Photo Default - 10 x 15 cm / 4 x 6 " ¹:Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) Draft, A4 (Black / Colour):Up to 33.0 ppm / 15.0 ppm[*] ISO 24734, A4 Simplex (Black / Colour):Up to 10.0 ipm / 5.0 ipm[*] First Page Out Time from Ready Mode (Black / Colour):Approx. 10 sec / 16 sec²</p> <p>Copying: Maximum Copies from Standalone:20 copies Maximum Copy Resolution:600 x 600 dpi Maximum Copy Size:A4, Letter ISO 29183, A4 Simplex (Black / Colour):Up to 7.7 ipm / 3.8 ipm</p> <p>Scanning: Scanner Type:Flatbed colour image scanner Sensor Type:CIS Optical Resolution:1200 x 2400 dpi Maximum Scan Area:216 x 297 mm Scanner Bit Depth (Colour):48-bit input, 24-bit output Scanner Bit Depth (Grayscale):16-bit input, 8-bit output Scanner Bit Depth (Black & White):16-bit input, 1-bit output</p> <p>Scan Speed: Flatbed (Black / Colour):Up to 11 sec / 28 sec</p> <p>Paper Handling: Number of Paper Trays:1 Standard Paper Input Capacity:Up to 100 sheets of Plain Paper (80 g/m²) Up to 20 sheets of Premium Glossy Photo Paper Output Capacity:Up to 30 sheets of Plain Paper (80 g/m²) Up to 20 sheets of Premium Glossy Photo Paper Maximum Paper Size:215.9 x 1200 mm Paper Sizes:Legal (8.5 x 14"), Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 5 x 8", 4 x 6", Envelopes: #10, DL, C6 Print Margin:0 mm top, left, right, bottom via custom settings in printer driver[*]</p> <p>Mobile and Cloud Solutions: Epson Connect Features:Epson iPrint, Epson Email Print, Remote Print Driver Other Mobile Solutions:Epson Smart Panel</p> <p>Supported OS and Applications: Operating System Compatibility:Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019 Only printing functions are supported for Windows Server OS</p>

	<p>Mac OS X 10.6.8 or later</p> <p>Noise Level: PC Printing/ Premium Glossy Photo Paper Best Photo: Sound Power (Black / Colour) 5.1 / 5.2 B(A), Sound Pressure (Black / Colour) 38 / 39 dB(A) PC Printing / Plain Paper Default⁴: Sound Power (Black / Colour) 6.4 / 6.2 B(A), Sound Pressure (Black / Colour) 50 / 48 dB(A)</p> <p>Dimensions and Weight: Dimensions (W x D x H): 375 x 347 x 179mm Weight: 3.9 kg</p> <p>Consumables: Black Ink Bottle: Page Yield⁵: 4,500 Pages Order Code: 003 (C13T00V100 / C13T00V199 (Indonesia)) Cyan Ink Bottle: Page Yield⁵: 7,500 Pages (Composite Yield) Order Code: 003 (C13T00V200 / C13T00V299 (Indonesia)) Magenta Ink Bottle: Page Yield⁵: 7,500 Pages (Composite Yield) Order Code: 003 (C13T00V300 / C13T00V399 (Indonesia)) Yellow Ink Bottle: Page Yield⁵: 7,500 Pages (Composite Yield) Order Code: 003 (C13T00V400 / C13T00V499 (Indonesia))</p> <p>Electrical Specifications: Rated Voltage: AC 220-240 V Rated Frequency: 50-60 Hz Operating: 12.0 W Sleep: 0.7 W Power Off: 0.2 W Standby: 4.5 W</p> <p>Interface: USB: USB 2.0 Network: Wi-Fi, Wi-Fi Direct Network Protocol: TCP/IPv4, TCP/IPv6 Network Management Protocols: SNMP, HTTP, DHCP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD</p>
<p>PRINTER TONER INK</p>	<p>Connectivity Ports: Hi-Speed USB 2.0 port, Wireless 802.11 b/g/n Wireless capability: Yes, built-in Wi-Fi 802.11b/g/n</p> <p>Memory Memory: 64 MB Maximum Memory: 64 MB Memory card compatibility: None</p> <p>Mobile Printing Capability Mobile printing services: Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct printing</p> <p>Paper Handling Input capacity: Up to 150 sheets Standard input capacity (envelopes): Up to 10 Output capacity: Up to 100 sheets Media sizes supported (metric) A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL, C5); 76 x 127 to 216 x 356mm Media sizes supported (U.S. standard) Letter; Legal; Executive; Oficio 216x340mm, Oficio 8.5x13 in, Envelope (No.10, Monarch); 4x6 in Media sizes, custom (metric) 76 x 127 to 216 x 356 mm Media sizes, custom (U.S. standard) 3 x 5 to 8.5 x 14 in Media types Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Labels, CardStock, Bond, Archive, Envelope Media weight supported (metric): 60 to 163 g/m² Media weight supported (U.S. standard): 16 to 43 lb</p> <p>Physical Dimensions Maximum dimensions (W x D x H, metric): 331 x 350 x 248 mm Maximum dimensions (W x D x H, U.S. standard): 13.03 x 13.78 x 9.76 in Weight (metric): 4.16 kg Weight (U.S. standard): 9.17 lb</p> <p>Power</p>

	<p>Energy savings feature technology : HP Auto-On/Auto-Off Technology; Power save</p> <p>Power supply type: Internal (built-in) Power Supply</p> <p>Power supply: 110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz</p> <p>Power consumption: 320 watts (Active Printing), 33 watts (Ready), 1.1 watts (Sleep), 0.2 watts (Manual off), 0.2 watts (Auto off/Manual on)</p> <p>Print Cartridges</p> <p>Print technology: Laser</p> <p>Duplex printing Manual (driver support provided)</p> <p>Print resolution (best): Up to 1,200 x 1,200 dpi</p> <p>Maximum print area (metric): 216 x 356 mm</p> <p>Monthly duty cycle Up to 10,000 pages</p> <p>Print languages SPL</p> <p>Printer smart software features Manual duplex, N-up printing, collation, watermarks, accepts a variety of paper sizes and types</p>
<p>PRESSURE WASHER PORTALBE</p>	<p>Specifications</p> <p>Voltage: 220-240V~50/60Hz</p> <p>Carbon brush motor</p> <p>Pure copper wire</p> <p>Input power:1400W</p> <p>Max Pressure:130Bar (1900PSI)</p> <p>Flow rate:5.5L/min</p> <p>Auto stop system</p> <p>1 set water spray gun</p> <p>5m high pressure hose</p>