



**REQUEST FOR QUOTATION  
FOR THE PROCUREMENT OF SUPPLY AND DELIVERY OF VARIOUS  
PRINTERS AND UNINTERRUPTIBLE POWER SUPPLY (UPS)**

The PMO-NCR North Bids and Awards Committee (PMO-NCR-NORTH-BAC) intends to procure the supply and delivery of various printers and uninterruptible power supply (UPS) through **Small Value Procurement**, in accordance with **Section 53.9** of the Implementing Rules and Regulations of Republic Act No. 9184.

<b>Name of Project</b>	: Supply and Delivery of Various Printers and Uninterruptible Power Supply(UPS)
<b>Approved Budget for the Contract</b>	: One Hundred Thirty Thousand Pesos Only (₱ 130,000.00)
<b>Location</b>	: PMO-NCR North Admin. Bldg. Mel Lopez Boulevard, North Harbor, Tondo, Manila
<b>Delivery Date</b>	: Upon Issuance of Approved Contract

Interested suppliers are required to submit their **valid and current Mayor's/Business Permit, PhilGEPS Registration Number and Duly Signed and Notarized Omnibus Sworn Statement.**

The price quotation and eligibility documents must be submitted **on or before November 28, 2023, 05:00 p.m.** to the PMO-NCR North BAC Secretariat at the PMO-NCR North Admin Bldg., Mel Lopez Blvd., North Harbor, Tondo, Manila. Please submit your lowest and most responsive quotation together with the RFQ in a sealed envelope marked as follows:

The Chairperson  
PMO-NCR North Bids and Awards Committee  
Supply and Delivery of Various Printers and  
Uninterruptible Power Supply Unit (UPS)  
PMO-NCR North Admin. Bldg. Mel Lopez Boulevard,  
North Harbor, Tondo, Manila

The PMO-NCR North Bids and Awards Committee reserves the right to accept or reject any price quotation, waive any formality in the RFQ, annul the procurement process, reject any or all price quotations at any time prior to contract award, declare The procurement process a failure, without thereby incurring any liability to the affected Participating Supplier or any person.

For further information, please refer to:

The BAC Secretariat  
PMO-NCR North Bids and Awards Committee  
G/F, PMO-NCR North Admin. Bldg.,  
Mei Lopez Boulevard, North Harbor, Tondo, Manila  
Telefax No. #8245-2929

Email Address: [bac.ncrn@gmail.com](mailto:bac.ncrn@gmail.com)

Very truly yours,

  
**FRANCIS ALDRICH A. RUBIO**  
BAC Chairperson 

## REQUEST FOR QUOTATION

Date: \_\_\_\_\_

**MR. FRANCIS ALDRICH A. RUBIO**

Chairperson, Bids and Awards Committee

Port Management Office-NCR North

Administration Bldg. Mel Lopez Blvd.

North Harbor, Tondo, Manila

Dear Mr. Rubio;

After having carefully read and accepted the terms and conditions in the Request for Quotation (RFQ) for the " **Supply and Delivery of Various Printers and Uninterruptible Power Supply(UPS)** " posted by your office, we hereby submit our proposal corresponding to your requirements.

ITEM	QTY	UNIT	ARTICLE(S) AND DESCRIPTION	UNIT PRICE	TOTAL AMOUNT
1	15	pc	UPS, 650va, 230v (please see attached technical specification)	P	P
2	2	Unit	DOT Matrix Printer, 24-pin (please see attached technical specification)	P	P
3	3	Unit	Printer, Black Ink (please see attached technical specification)	P	P
				<b>TOTAL AMOUNT</b>	

## NOTE:

1. Quoted price shall be inclusive of applicable taxes and shall be firm and valid for a period of at least thirty (30) days from receipt of quotation and shall be binding upon the supplier within the period.
2. Delivery period shall be within seven (7) working days from receipt of Notice of Award/Purchase Order.
3. The P.O. shall be awarded to the lowest calculated responsive bid. Delivered items are subject to inspection, with payment processing to commence only after acceptance by the end-users.
4. Terms of Payment within thirty (30) calendar days from date of acceptance.

**NOTE:**

1. Quoted price shall be inclusive of applicable taxes and shall be firm and valid for a period of at least thirty (30) days from receipt of quotation and shall be binding upon the supplier within the period.
2. Delivery period shall be within seven (7) working days from receipt of Notice of Award/Purchase Order.
3. The P.O. shall be awarded to the lowest calculated responsive bid. Delivered items are subject to inspection, with payment processing to commence only after acceptance by the end-users.
4. Terms of Payment within thirty (30) calendar days from date of acceptance.
5. Bidders shall submit with the quotations technical brochures of the products being offered.
6. As a government agency, PPA shall deal only with legitimate suppliers/contractors which issue BIR-registered official receipts.
7. Payments shall be made after delivery and upon submission of required supporting documents
8. PPA reserves the right to post-qualify any supplier and/or reject any or all submitted quotations.

Name of Company: \_\_\_\_\_

Delivery Period: \_\_\_\_\_

Warranty Period: \_\_\_\_\_

Price Validity: \_\_\_\_\_

After having carefully read and accepted your conditions above, I/We quote you on the item at prices specified in the quotation form.

\_\_\_\_\_  
Print Name and Signature

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Email address

\_\_\_\_\_  
Date

# TECHNICAL SPECIFICATION

## DOT MATRIX PRINTER, 24-PIN

### Printing Technology:

**Print Method:** Impact dot matrix

**Control Panel:** 4 switches and 5 LEDs

**Print Direction:** Bi-direction with logic seeking

**Number of Pins in Head:** 9 pins

**Control Code:** ESC/P and IBM PPDS emulation

**Number of Pins:** 9

### Print Speed:

**High Speed Draft:** (10 / 12 / 15 cpi): 347 / 357 / 390 cps

(Condensed, 17 / 20 cpi): 383 / 298 cps

**Draft:** (10 / 12 / 15 cpi): 260 / 312 / 223 cps

(Condensed, 17 / 20 cpi): 222 / 260 cps

(Emphasized, 10 cpi): 130 cps **NLQ:** (10 / 12 / 15 / 17 / 20 cpi): 65 / 78 / 55 / 47 / 56 cps

### Reliability:

**Printhead Life:** Approx. 400 million strokes/wire

**Mean Print Volume Between Failure (MVBf):** Approx. 20 million lines (Except print head)

**Mean Time Between Failure (MTBF):** Approx. 10,000 POH (25% Duty)

### Print Characteristics:

**Character Sets:** Italic table, PC437 (US Standard Europe), PC850 (Multilingual), PC860 (Portuguese), PC861 (Icelandic), PC863 (Canadian French), PC865 (Nordic), Abicomp, BRASCII, Roman 8, ISO Latin 1, PC 858, ISO 8859-15

**Bitmap Fonts:** Epson Draft: 10, 12, 15 cpi; Epson Roman & Sans Serif: 10, 12, 15 cpi, Proportional, Epson OCR-B

**Barcode:** EAN-13, EAN-8, Interleaved 2 of 5, UPC-A, UPC-E, Code 39, Code 128, Postnet

### Paper Path:

**Manual Insertion:** Rear in, Top out

**Push Tractor:** Rear in, Top out

### Paper Media:

**Cut Sheet (Single Sheet):** Length: 100 ~ 364mm (3.9 ~ 14.3")

Width: 100 ~ 257mm (3.9 ~ 10.1")

Thickness: 0.065 ~ 0.14mm (0.0025 ~ 0.0055")

**Cut Sheet (Multi-part Forms):** Length: 100 ~ 364mm (3.9 ~ 14.3")

Width: 100 ~ 257mm (3.9 ~ 10.1")

Thickness: 0.12 ~ 0.39mm (0.0047 ~ 0.015") (Total)

**Continuous Paper (Single Sheet / Multi-part):** Length: 101.6 ~ 558.8mm (4.0 ~ 22.0")

Width: 101.6 ~ 254.0mm (4.0 ~ 10.0")

Thickness: 0.065 ~ 0.39mm (0.0025 ~ 0.015") (Total)

**Envelope (No.6):** Length: 92mm (3.6")

Width: 165mm (6.5")

Thickness: 0.16 ~ 0.52mm (0.0063 ~ 0.0205") (Total)

**Envelope (No.10):** Length: 105mm (4.1")

Width: 241mm (9.5")

Thickness: 0.16 ~ 0.52mm (0.0063 ~ 0.0205") (Total)

**Roll Paper:** Width: 216mm (8.5")

Thickness: 0.07 ~ 0.09mm (0.0028 ~ 0.0035")

### Supported OS and Applications:

**Supported OS:** Microsoft® Windows® 2000 / XP / Vista / 7 / 8 / 8.1 / 10

### Dimensions and Weight:

**Dimensions (W x D x H):** 362 x 275 x 154 mm

**Weight:** Approx. 4.1 kg

### Consumables:

**Ribbon Cartridge Black:** Ribbon Life: Approx. 4.0 million characters (Draft 10 cpi, 14 dots/character)

### Environmental Conditions (Operating):

**Temperature:** 5 ~ 35°C

**Humidity:** 10 ~ 80 % RH

### Acoustic Noise:

**Acoustic Noise:** Approx. 53 dB(A) (ISO 7779 pattern)

	<p><b>Input Data Buffer:</b> Input Data Buffer:128KB</p> <p><b>Interface:</b> <b>Standard:</b>Bi-directional parallel (IEEE-1284 nibble mode supported)</p> <p>USB 2.0 Full-Speed Serial</p> <p><b>Ribbon Cartridge:</b> <b>Standard:</b>Fabric Ribbon Cartridge (Black) - C13S015632 <b>Ribbon Life:</b>Approx. 4.0 million characters (Draft 10 cpi, 14 dots/character)</p>
<p><b>PRINTER, BLACK INK</b></p>	<p><b>Connectivity</b> Ports: Hi-Speed USB 2.0 port, Wireless 802.11 b/g/n Wireless capability: Yes, built-in Wi-Fi 802.11b/g/n</p> <p><b>Memory</b> Memory: 64 MB Maximum Memory: 64 MB Memory card compatibility: None</p> <p><b>Mobile Printing Capability</b> Mobile printing services:Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct printing</p> <p><b>Paper Handling</b> Input capacity:Up to 150 sheets Standard input capacity (envelopes): Up to 10 Output capacity: Up to 100 sheets Media sizes supported (metric) A4; A5; A5(LEF); B5 (JIS); Oficio; Envelope (DL, C5); 76 x 127 to 216 x 356mm Media sizes supported (U.S. standard) Letter; Legal; Executive; Oficio 216x340mm, Oficio 8.5x13 in, Envelope (No.10, Monarch); 4x6 in Media sizes, custom (metric) 76 x 127 to 216 x 356 mm Media sizes, custom (U.S. standard) 3 x 5 to 8.5 x 14 in Media types Plain, Thick, Thin, Cotton, Color, Preprinted, Recycled, Labels, CardStock, Bond, Archive, Envelope Media weight supported (metric): 60 to 163 g/m² Media weight supported (U.S. standard): 16 to 43 lb</p> <p><b>Physical Dimensions</b> Maximum dimensions (W x D x H, metric): 331 x 350 x 248 mm Maximum dimensions (W x D x H, U.S. standard): 13.03 x 13.78 x 9.76 in Weight (metric): 4.16 kg Weight (U.S. standard): 9.17 lb</p> <p><b>Power</b> Energy savings feature technology: HP Auto-On/Auto-Off Technology; Power save Power supply type: Internal (built-in) Power Supply Power supply: 110-volt input voltage: 110 to 127 VAC, 50/60Hz and 220-volt input voltage: 220 to 240 VAC, 50/60Hz Power consumption: 320 watts (Active Printing), 33 watts (Ready), 1.1 watts (Sleep), 0.2 watts (Manual off), 0.2 watts (Auto off/Manual on)</p> <p><b>Print Cartridges</b> Print technology: Laser Duplex printing Manual (driver support provided) Print resolution (best): Up to 1,200 x 1,200 dpi Maximum print area (metric): 216 x 356 mm Monthly duty cycle Up to 10,000 pages Print languages SPL Printer smart software features Manual duplex, N-up printing, collation, watermarks, accepts a variety of paper sizes and types</p>

<b>UPS, 650VA, 230V</b>	<b>Specifications</b> Main Input Voltage: 230 V Rated power in VA:650 VA
-------------------------	--