

1. APPLICATION OF ASPHALT BASE PRIMER WATERPROOFING COATING
2. APPLICATION OF ASPHALT MEMBRANE (4mm SLATED) WATERPROOFING (ROOF SLAB AREA = 756.00m²)

27000

100mm
MEMBRANE
WATERPROOFING
OVERLAAPPING

50

150

2000


 1% SLOPE

 % SLOPE

1% SLOPE

% SLOPE

NORTH GATE LAYOUT
SCALE 1:150



1. APPLY CONCRETE PASTE TO ALL CHIPPED OFF PORTION OF THE ROOFDECK
2. APPLY ASPHALT BASE PRIMER WATERPROOFING COATING BEFORE THE INSTALLATION OF ASPHALT MEMBRANE(4mm SLATED) WATERPROOFING INCLUDING VERTICAL FLASHING AND INCLUDING WATER LEAK TEST.

14000

Technical drawing of a roof plan showing a 10000x9800 area with a 1% slope in two directions. The drawing includes dimensions for various sections: 1000, 800, 100, 1000, 100, 9800, and 10000. It also shows a 1% SLOPE indicator with a house icon and a 1% SLOPE indicator with a downward arrow. A note "NE ROOFING DIPPING" points to a specific area.

 **MEMBRANE WATERPROOFING LAYOUT**
SCALE 1:125



PROJECT TITLE	PREPARED BY:	CHECKED BY:	REVIEWED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	SHEET CONTENT:	DATE:
WATERPROOFING OF NORTH GATE	JOECARLO I. SORIANO ENGINEERING ASSISTANT A	NORJAN K. LABA SUPERVISING ENGINEER A	MARIA VIVIEN M. TANCO PRINCIPAL ENGINEER A	JAMESON L. LEE ESD MANAGER	ATTY. CESAR M. DATAYA PORT MANAGER	1. NORTH GATE LAYOUT	2/2
LOCATION						2. MEMBRANE WATERPROOFING LAYOUT	
PORT OF GENERAL SANTOS, MAKAR WHARF, GENERAL SANTOS CITY						3. BLOW-UP DETAIL	