

REQUEST FOR QUOTATION (SMALL VALUE PROCUREMENT) ESD 2023-04-014

The Philippine Ports Authority, PMO – Zamboanga Bids and Awards Committee now invites suppliers/contractors to submit price quotations for the **One (1) Lot Supply of labor**, materials and equipment for the "Improvement of Tindahan (8-Unit Vendor Stalls) ni PAPs sa Pantalan at Halfway House Compound", Port of Zamboanga, Zamboanga City.

Bids/Quotations received in excess of the **ABC** (Php940,269.37) shall be automatically rejected at Bid opening.

Procurement will be conducted in consonance with Section 53.9 (Small Value Procurement) of the Revised Implementing Rules and Regulations Part A (IRR-A) of Republic Act 9184 (R.A. 9184), otherwise known as the "Government Procurement Reform Act". Only sealed bids/Quotations from **eligible bidders** will be opened and a contract will only be awarded to the Lowest Calculated Responsive Quotation.

The Opening of Sealed Quotation Envelopes shall be at **10:00 AM**, **May 15**, **2023**, Conference Room, 2nd Floor PPA Administration Building, Port Area, Zamboanga City.

The PPA, PMO-Zamboanga reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

The TWG/Secretariat, PMO-ZAMBOANGA-BAC PPA, PMO-Zamboanga, Port Area, Zamboanga City 7000 Tel Nos. (062) 991-2037, (062) 991-0650; Fax No. (062) 991-2360

ARTHUR B. NOGAS BAC Chairperson PPA, PMO-Zamboanga, Port Area, Zamboanga City 7000

PPA website: <u>www.ppa.com.ph</u> PhilGEPS Website: <u>www.philgeps.net</u> Date of Publication: <u>May 08, 2023 to May 15, 2023</u>

Project No.: <u>SVP-03-2023</u> PR Nos.: <u>ZAM-114-2023(M)</u> Canvass Ref.: <u>ESD 2023-04-014</u>

Encl.:

- Canvass Form
- Approved Agency Estimate

PORT MANAGEMENT OFFICE – ZAMBOANGA R.T. Lim Boulevard, Zamboanga City 7000, Philippines PO Box No. 360 Tel. Nos. (062) 991-2037 to 2039; 991-0650 TeleFax (062) 991-2360; Email : ppa.pmozamboanga@gmail.com/pmozamboanga@ppa.com.ph website: www.ppa.com.ph





CANVASS FORM

Date:

JO/PR Number:

ZAM-104-2023(M)

(Supplier)

Gentlemen: Please quote your government price/s for the article/s listed hereunder:

Item Qty No.		Unit	Articles	Unit Cost	Amount
I	115	m ²	 Demolition Works Supply of labor, tools/equipment for the removal and disposal of existing dilapidated structures - Masonry Wall, Wooden Column, Wooden Trust and Roofing and Gate Openings. 		
II	951.81	Kgs.	 Steel Column Supply of labor, materials and tools/equipment for the fabrication, installation, and steel columns. 		
111	1,561.89	Kgs.	 Rafter, Girt and Roof Framing Supply of labor, materials and tools/equipment for the fabrication, installation and framing of roof rafters and girts. 		
IV	239.17	m ²	 Painting Works (Metal) Supply of labor, materials and tools for the application of metal paint for Roof Framing - Steel Columns, Rafters, and Girts. 		
V	239.175	m ²	 Pre-Painted Metal Sheet (Corrugated) Supply of labor, materials and tools/equipment for the installation of pre-painted metal roofing sheet. 		
VI	69.87	 In.m. Fabricated Pre-Painted Metal Roofing Accessory: Wall Flashing, End Flashings and Fascia Cover Supply of labor, materials and tools/equipment for the installation of roof accessories: Wall Flashing, End Flashing & Fascia Cover. 			
VII	65	m ²	 Double Wall Partition Supply and Installation of Materials for the Fiber Cement Board on Metal Frame Double Wall Partition. 		
VIII	140	m ²	 Ceiling (External & Internal) Supply and Installation of Materials for the Fiber Cement Board on Metal Frame Ceiling. 		
IX	205.20 m ² Painting Works (Ceiling and Dry Wall Partition) • Supply of Labor, Materials and Tools/Equipment for the Application of Masonry Paint for Ceiling and Double Wall Partition.				
Х	13.44	m ²	 Wooden Hollow Core Flush Doors Supply and Delivery of Wooden Hollow Core Flush Doors including Accessories. 		

PORT MANAGEMENT OFFICE - ZAMBOANGA

R.T. Lim Boulevard, Zamboanga City 7000, Philippines PO Box No. 360 Tel. Nos. (062) 991-2037 to 2039; 991-0650 TeleFax (062) 991-2360;



Email : <u>ppa.pmozamboanga@gmail.com</u>/pmozamboanga@ppa.com.ph website: www.ppa.com.ph

			Supply of Labor and Tools for the Installation of Wooden Hollow Core Flush Doors and Accessories.		
XI	14.56	m ²	 Wooden Panel Windows Enclosure Supply and Delivery of Detachable Wooden Panel Window Enclosure. Supply of Labor and Tools for the Installation of Detachable Wooden Panel Window. 	ž	
			x-x-x-Nothing Follows-x-x-x		

Terms and Conditions:

÷.,

1.	Term of Payment – 100% Payment upon completion;				
2.	Project Duration - 97 Calendar Days;				
3.	Performance Security - in accordance with schedule provided under Section39.2 of RA 9184;				
	Warranty: One (1) year after acceptance;				
5.	Quotation shall be submitted in a sealed envelope.				
	X X X Nothing Follows X X X				
Disess	automit your appled mystation and have a the Constant at a coop				

Please submit your sealed quotation envelope on or before: 10:00 AM, May 15, 2023.

Jason Lance . Santillan Canvasse

ours, TASHN A H. ASID-MAADIL Acting ESD Manager ()

The above price/s and/or quotation/s for the article/s you wish to purchase/repair is/are available within ______ from the date of quotation.

AUTHORIZED SIGNATURE

Name of Supplier/Firm/Company

Date:



APPROVED AGENCY ESTIMATES

- **Project:** One (1) Lot Supply of labor, materials and equipment for the "Improvement of Tindahan (8-Unit Vendor Stalls) ni PAPs sa Pantalan at Halfway House Compound", Port of Zamboanga, Zamboanga City
- Location: Port of Zamboanga, Zamboanga City
- **Owner:** Zamboanga City
- Subject: "Improvement of Tindahan (8-Unit Vendor Stalls) ni PAPs sa Pantalan at Halfway House Compound"

	Description	Unit	Qty.	Unit Cost	Amount
Su	 pe of Work: pply of labor, materials and equipment for the "Improdintalan at Halfway House Compound" Supply of labor, tools/equipment for the remove Masonry Wall, Wooden Column, Wooden Tru Supply of labor, materials, and tools/equipment Supply of labor, materials, and tools/equipment rafters and girts. Supply of labor, materials, and tools for the approximate the columns, Rafters, and Girts. Supply of labor, materials, and tools/equipment Supply and Installation of Materials for the Fibte Partition. Supply and Installation of Materials for the Fibte Partition. Supply of Labor, Materials and Tools/Equipment Supply and Delivery of Wooden Hollow Core Item Supply of Labor and Tools for the Installation 	val and dispo st and Roofir nt for the fabr oplication of r nt for the inst nt for the inst er Cement B er Cement B ent for the Ap Flush Doors i	sal of existin ng and Gate rication, insta rication, insta netal paint fo allation of pro- allation of ro- coard on Met oplication of Met including Acc	g dilapida Openings Illation, a Illation ar r Roof Fi e-paintec of access al Frame al Frame Masonry	ated structures - s. nd steel columns. nd framing of roof raming - Steel I metal roofing sheet. sories: Wall Flashing, Double Wall Ceiling. Paint for Ceiling and
	 Supply of Labor and Tools for the Installation Supply and Delivery of Detachable Wooden P Supply of Labor and Tools for the Installation Materials: 	anel Window	/ Enclosure.		
1	76.2 mm (3") Ø G.I. Pipe X 6.0m				
		Kgs.	951.81		
2	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate	Kgs. Kgs.	951.81 104		
2	1/2" (12.7mm) Thk. X 200mm X 200mm Steel				
	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar	Kgs.	104		
3	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X	Kgs. Kgs.	104 154		
3	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar	Kgs. Kgs. Kgs.	104 154 22		······
3 4 5	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar 41m X 75mm GA 12 C-Purlins	Kgs. Kgs. Kgs. Kgs.	104 154 22 347		· · · · · · · · · · · · · · · · · · ·
3 4 5 6	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar 41m X 75mm GA 12 C-Purlins Welding Rod	Kgs. Kgs. Kgs. Kgs. Kgs.	104 154 22 347 52		
3 4 5 6 7	 1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate 50m X 152mm GA 12 C-Purlins X 6.0m 4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar 41m X 75mm GA 12 C-Purlins Welding Rod Oxygen 	Kgs. Kgs. Kgs. Kgs. Kgs. Kgs.	104 154 22 347 52 554		
3 4 5 6 7 8	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate50m X 152mm GA 12 C-Purlins X 6.0m4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar41m X 75mm GA 12 C-PurlinsWelding RodOxygenAcetylene	Kgs. Kgs. Kgs. Kgs. Kgs. Kgs. Kgs.	104 154 22 347 52 554 29		
3 4 5 6 7 8 9	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate50m X 152mm GA 12 C-Purlins X 6.0m4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar41m X 75mm GA 12 C-PurlinsWelding RodOxygenAcetyleneRed Oxide Primer	Kgs. Kgs. Kgs. Kgs. Kgs. Kgs. Kgs. Gals.	104 154 22 347 52 554 29 5		
3 4 5 6 7 8 9 10	1/2" (12.7mm) Thk. X 200mm X 200mm Steel Plate50m X 152mm GA 12 C-Purlins X 6.0m4.76 mm Thick 3/16" X 2"(50mm) X 2"(50mm) X Angle Bar41m X 75mm GA 12 C-PurlinsWelding RodOxygenAcetyleneRed Oxide PrimerEnamel Paint	Kgs. Kgs. Kgs. Kgs. Kgs. Kgs. Gals. Gals.	104 154 22 347 52 554 29 5 24		



Email : <u>ppa.pmozamboanga@gmail.com</u>/pmozamboanga@ppa.com.ph website: www.ppa.com.ph

14	Wall Flashings	m	25	
15	End Flashings	m	24	
16	Fascia Cover	m	25	·····
17	Blind Rivets	Pcs.	5,202	
18	5mm X 4' X 8' Fiber Cement Board	Pcs.	96	
19	Metal Stud 3 m length	Pcs.	77	
20	Metal Screw	Pcs.	183	
21	Single Metal Furring X 5m Length	Pcs.	159	
22	Double Metal Furring X 5m Length (For Carrying Channel)	Pcs.	51	
23	Carrying Channels X 5m Length (For Hanger)	Pcs.	141	
24	1" X 3m Wall Angle	Pcs.	34	
25	Patching Compound (Polyester Body Filler)	Gals.	11	
26	Primer Paint (Flat Latex)	Gals.	9	
27	Top Coat (2 Coats Latex)	Gals.	9	
28	Treated & Pre-painted Wooden Flush Door (40mm X 0.80m x 2.10m) including Door Jamb	m²	13.4	
29	Hinges	Pcs.	24	
30	Lockset	Pcs.	8	
31	Treated & Pre-painted Wooden Window Jamb (40mm X 1.40m x 1.30m)	Sets	8	
32	2" X 6" X 10' Good Lumber	Bd.Ft.	400	
	X X X Nothing Fo	ollows X X X	Jd	II
А	MATERIAL COST			
В	LABOR COST	in an ann an 1969 ann an Annaice		
С	EQUIPMENT COST			
D	DIRECT COST; [(A) + (B) + (C)]			
Е	OCM [15% OF (D)]			
F	PROFIT [Up to 10% OF (D)]			
G	5% VAT OF [(D)+(E)+(F)]			
Н	TOTAL PROJECT COST; [(D) + (E) + (F) + (G)]			