

PMO-ZAMBOANGA

REQUEST FOR QUOTATION

1. The Philippine Ports Authority, Port Management Office – Zamboanga (PPA, PMO-Zamboanga), through its Bids and Awards Committee for the Procurement of Goods and Services (BAC-PG), re-invites interested suppliers to quote for the “ One (1) Lot Supply of Labor and Materials for the installation of One (1) Set Automatic Identification System (AIS) including Testing & Commissioning” at the PSD-Harbor, Port of Zamboanga through Small Value Procurement in accordance with Section 53.9 of the Revised Implementing Rules and Regulations of Republic Act no. 9184.

Scope of Work: One (1) Lot Supply of Labor and Materials for the installation of One (1) Set Automatic Identification System (AIS) including Testing & Commissioning with complete set of materials, accessories and peripherals, as follows:

Materials:

1 set Automatic Identification System (Refer to Price Quotation Form for specifications) with the following accessories:

- Power/Serial Combined Cable
- AIS Viewer Software (Genuine License)
- Whip Antenna
- Interface Cable
- Standard Installation Materials, Accessories, Spare Parts, operative from 12/24VDC
- High Quality Regulated Power Supply (12-24VDC)

Peripherals:

- 2sets Monitor/TV 43”, LED with HDMI Connections, Full HD
- 1set Four Loop Antenna
- 2sets HDMI Cables and adapters (two monitor connection 1 in Harbor Master room at the 4th Floor and 1 in Harbor Section Room at the 1st Floor)
- 2sets Laptop:
Specs:
Processor: Intel Core i3
RAM: 4GB RAM
ROM: 1TB HDD
Graphics: ATI EXO PRO R5 M330 1 GB VRAM,
Display: 14” HD Display
OS: Windows 8.1
Others: WIFI + Bluetooth, USB 3.0, DVD-RW Drive,
4 Cell Battery, Wireless Optical Mouse with pad
- 2sets Desktop:
Specs:
Processor: Intel Core i3
Graphics: 2 GB
RAM: 4GB DDR4 Memory
Case: Case w/ 600 power supply
ROM: 1TB Seagate HDD (SATA)
OS: Windows 8.1 Pro
Others: High Quality Keyboard, DVD-RW Drive, 3pcs
Internal fan, USB 3.0 & Optical Mouse w/ pad

2sets	Uninterruptible Power Supply	
	Specs:	
	<u>Output</u>	
	Output Power Capacity	325 Watts/650 VA
	Max Configurable Power	325 Watts/650 VA
	Normal Output Voltage	230V
	Waveform Type	Stepped approximation to A sinewave
	Output Connection	(2-3) Universal Receptacle (Battery Backup)
	Transfer Time	4ms typical: 6ms max.
	<u>Input</u>	
	Nominal Input Voltage	230V
	Input Frequency	50/60 Hz+/-3 Hz
	Input Connections	NEMA 5-15P
	Operations	151-299V
	Cord Length	1.5 meters
	Input voltage range for main Operations	180-270V
	Type of Input Protection Req.	gL fuse
	Maximum Input Current	5.0A
	Input Power Factor at Full Load	0.5

1lot Various plumbing/hardware supplies materials as follows:

<u>Qty.</u>	<u>Units</u>	<u>Particulars</u>
1	Lgt.	G.I. Pipe, 3-inches dia. S-40, 6m
1	Lgt.	G.I. Pipe, 2-inches dia, S-40, 6m
2	Roll	G.I. Tie Wire, #8
25	Pc.	PVC Clamp, 20mm
10	Pc.	PVC Pipe, 20mm
4	Lgt.	Plain Round Bar
18	Pc.	Turnbuckle, 8 inches long

NOTE: The above-stated materials are minimum requirement only. Any other additional expenses of the same shall be borne by the supplier.

- a. Delivery Period: Within Sixty (60) Calendar Days upon receipt of applicable Purchase Order (PO)
 - b. PR Reference No.: 2016-475
 - c. Approved Budget for the Contract (ABC) - Php470,000.00
2. The duly accomplished Price Quotation Form (Annex "A") must be placed in a sealed envelope. The certified true copy of the following documents must be placed in another separate sealed envelope and submitted in accordance with Item No. 3 hereof:
1. Duly Accomplished Pre-Qualification State Form
 2. Valid Mayor's Permit
 3. Certificate of Registration of Business Name (DTI/SEC or CDA)
 4. BIR- VAT or Non-Vat Registration Certificate
 5. Latest BIR Income Tax Return
 6. Certificate of Philgeps Registration

Non-submission of any of the above documentary requirements shall be a ground for disqualification.

The supplier(s) who had submitted already their eligibility documents may submit, in lieu of the above-stated documents, a "Certification" issued by the BAC-PG Chairperson, together with any lacking documentary requirement and the Accomplished Price Quotation Form – Annex "A" (sealed in a separate envelope).

3. All quotations may be submitted by mail, courier or hand carried not later than 10:00 a.m. of December 29, 2016 to the Supply Unit, 2nd Floor, Administration Building, Philippine Ports Authority, PMO – Zamboanga, R. T. Lim Blvd., Port Area, Zamboanga City, addressed to:

MR. EMILIANO M. ESPARAGUERA JR.

Chairperson, BAC – PG
Philippine Ports Authority
PMO – Zamboanga
Port Area, Zamboanga City

4. Quotations submitted after the deadline shall **NOT** be accepted; Price quotation in excess of the ABC shall be automatically disqualified.
5. All quotations shall be valid for a period of 30 calendar days from the deadline of submission of quotations and shall be inclusive of the applicable 12% Value Added Tax (VAT).
6. The procurement shall be awarded to the supplier determined to have submitted the complete documentary requirements with the lowest calculated and responsive quotation.
7. Warranty on items delivered shall be for a minimum of One (1) year from date of acceptance by the end-user.
8. The Supplier shall provide technology transfer/in-depth technical training to PPA, PMO-Zamboanga Port Services Division on the use and operation of the equipment free of charge.
9. The Supplier shall provide on call support through landline/mobile phones for trouble shooting purposes.
10. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the supplier or his/her duly authorized representative.
11. Prospective bidder shall be a duly licensed Filipino Citizen/Sole Proprietorship, Partnership, Corporation, Cooperative duly organized under the laws of the Philippines or a joint venture with at least sixty percent (60%) interest or outstanding capital stock belonging to Filipino Citizens.
12. PPA, PMO – Zamboanga reserves the right to reject any or all quotations at any time prior to award of the procurement without thereby incurring any liability to the affected proponents or to waive any minor defects therein and accept quotation as may be considered advantageous to the government.
13. For further inquiries, you may contact **MS. DARWISA J. LIPAYGO, Head, BAC - PG Secretariat**, Tel. No. (062) 991-2037 local 111.


EMILIANO M. ESPARAGUERA, JR.
Chairperson, BAC - PG

Date of Publication: PPA & PhilGEPS Websites:

Dec. 21-28, 2016

Posting at PPAs Conspicuous Places: Dec. 21-28, 2016