



BONIFACIO DRIVE, SOUTH HARBOR, PORT AREA, MANILA 1018, PHILIPPINES
P.O. BOX 436, MANILA, PHILIPPINES
TEL. NO. (0632) 527-8356, FAX. NO. (0632) 527-4855
HTTP://WWW.PPA.COM.PH

SUPPLEMENTAL/BID BULLETIN NO. 1

SUPPLY AND DELIVERY OF ENGINEERING PLOTTER

TO : All Prospective Bidders
: Members, HO-BAC-PGCS
: Others Concerned

Relative to the Bid Documents issued by the BAC-PGCS for the Supply and Delivery of Engineering Plotter (BAC-PGCS-09-2018), please be informed of the following amendments thereto, to wit:

SECTION VI. SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	ITEM	SPECIFICATION	QTY. (units)	Delivery Period
1	Engineering Plotter (Multi-Function Color Printer/Copier/Scanner)		1	Within Sixty (60) Calendar days from the receipt by the successful bidder of the Notice to Proceed
	Description	Color and Monochrome printer, Dual Memory Controller, Top delivery tray or equivalent		
	Imaging Technology	Crystalpoint Technology - instant dry, waterfast output on uncoated media or equivalent		
	Resolution	True resolution: 600 x 600 dpi or equivalent		
	Media sizes	297 mm - 1067 or equivalent		
	Print Speed	Monochrome 225 D-size prints/hour Color 212 D-size prints/hour or equivalent		
	Toner/type	Pearl toner CMYK or equivalent		

By 2020, PPA shall have provided globally competitive port services in the Philippines characterized by increased productivity, efficiency, connectivity, comfort, safety, security and environmental sustainability.

Page 1 of 6

MISSION

1. Provide reliable and responsive services in ports, sustain development of communities and the environment, and be a model corporate agency of the government.
2. Establish a mutually beneficial, equitable and fair relationship with partners and service providers.
3. Provide meaningful and gainful employment while creating a nurturing environment that promotes continuous learning and improvement.
4. Establish a world-class port operation that is globally competitive adding value to the country's image and reputation.

	Media Capacity	4 rolls or 6 rolls (optional) or equivalent		
	Media cutting	Automatic / Manual option or equivalent		
	Supported Rolls	Maximum Roll Weight 20kg or equivalent 3" or 2" cores or equivalent		
	Maximum Media Length	200m or equivalent		
	Media thickness	800pm; 32mil (film: 2.5 - 8mil) or equivalent		
	Media type	Uncoated papers, uncoated Tyvek, polyester films, self-adhesive coated vinyls, canvass, soft banner, instant dry photo paper, self-adhesive wallpaper, several natural and synthetic textiles or equivalent		
	User interface	Clear connect multi - touch user panel, Touch screen:10.4 or equivalent		
	Controller	Windows 8 embedded, 64 bits or equivalent		
	Memory	8GB or equivalent		
	Hard disk	2 x 500 GB or equivalent		
	Video	Intel HD Graphics, 1GHz or equivalent		
	Scanner	CIS (Contact Image Sensor) Image Logic technology or equivalent		
	Scan Resolution	600 x 600 dpi or equivalent		
	Scan Destination	Local USB flash drive, FTP, SMB, Controller, Mobile device via Mobile Web Tools, WebDav Cloud, Collaborate or equivalent		

	Scan to file	Custom scan file naming to any location. Checkplot functionality, Live preview of the scanning process on the user panel, Scan to many formats including Adobe PDF or equivalent		
	Original Width	8.2" - 36" automatic digital width detection or equivalent		
	Original Thickness	Maximum 0.03" (0.8mm) or equivalent		
	Mobile and Cloud	Print from and scan to the cloud application of your choice using Mobile Web tools and Publisher Mobile the printer can be easily accessed and used from any location or equivalent		
	Stacking Systems	Integrated Top Delivery tray, 75 sheets capacity (standard) increase delivery tray to 150 sheets increase capacity up to 225 pages (optional) or equivalent		
	Print Management	View the counter history at preferred time periods, per job or total overview. View, create, edit and delete stamp templates or equivalent		
	Queue Management	Enables multiple users to send print and copy jobs at the same time. Customize priority settings for copy and print jobs in the queue. Jobs can be paused, deleted and placed on top of the queue or equivalent		

SECTION VII. TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS SUPPLY AND DELIVERY OF ENGINEERING PLOTTER

ITEM	SPECIFICATION	STATEMENT OF COMPLIANCE
Description	Color and Monochrome printer, Dual Memory Controller, Top delivery tray or equivalent	
Imaging Technology	Crystalpoint Technology - instant dry, waterfast output on uncoated media or equivalent	
Resolution	True resolution: 600 x 600 dpi or equivalent	
Media sizes	297 mm - 1067 or equivalent	
Print Speed	Monochrome 225 D-size prints/hour Color 212 D-size prints/hour or equivalent	
Toner/type	Pearl toner CMYK or equivalent	
Media Capacity	4 rolls or 6 rolls (optional) or equivalent	
Media cutting	Automatic / Manual option or equivalent	
Supported Rolls	Maximum Roll Weight 20kg or equivalent 3" or 2" cores or equivalent	
Maximum Media Length	200m or equivalent	
Media thickness	800pm; 32mil (film: 2.5 - 8mil) or equivalent	
Media type	Uncoated papers, uncoated Tyvek, polyester films, self-adhesive coated vinyls, canvass, soft banner, instant dry photo paper, self-adhesive wallpaper, several natural and synthetic textiles or equivalent	

User interface	Clear connect multi - touch user panel, Touch screen:10.4 or equivalent	
Controller	Windows 8 embedded, 64 bits or equivalent	
Memory	8GB or equivalent	
Hard disk	2 x 500 GB or equivalent	
Video	Intel HD Graphics, 1GHz or equivalent	
Scanner	CIS (Contact Image Sensor) Image Logic technology or equivalent	
Scan Resolution	600 x 600 dpi or equivalent	
Scan Destination	Local USB flash drive, FTP, SMB, Controller, Mobile device via Mobile Web Tools, WebDav Cloud, Collaborate or equivalent	
Scan to file	Custom scan file naming to any location. Checkplot functionality, Live preview of the scanning process on the user panel, Scan to many formats including Adobe PDF or equivalent	
Original Width	8.2" - 36" automatic digital width detection or equivalent	
Original Thickness	Maximum 0.03" (0.8mm) or equivalent	
Mobile and Cloud	Print from and scan to the cloud application of your choice using Mobile Web tools and Publisher Mobile the printer can be easily accessed and used from any location or equivalent	
Stacking Systems	Integrated Top Delivery tray, 75 sheets capacity (standard) increase delivery tray to 150 sheets increase capacity up to 225 pages (optional) or equivalent	
Print Management	View the counter history at preferred time periods, per job or total overview. View, create, edit and delete stamp templates or equivalent	

Queue Management	Enables multiple users to send print and copy jobs at the same time. Customize priority settings for copy and print jobs in the queue. Jobs can be paused, deleted and placed on top of the queue or equivalent	
------------------	---	--

Issued this 9th day of May 2018

THE BIDS AND AWARDS COMMITTEE:

By

ADRIAN FERDINAND S. SUGAY
Chairperson, HO-BAC-PGCS