



BONIFACIO DRIVE, SOUTH HARBOR, PORT AREA, MANILA 1018, PHILIPPINES  
 P.O. BOX 436, MANILA, PHILIPPINES  
 TEL. NO. (0632) 527-8356, FAX. NO. (0632) 527-4855  
 HTTP://WWW.PPA.COM.PH

### SUPPLEMENTAL/BID BULLETIN NO. 3

#### PROCUREMENT OF TWELVE (12) UNITS OF BODY SCANNER MACHINES

T O : All Prospective Bidders  
 : Members, HO-BAC-PGCS  
 : Others Concerned

Relative to the Bid Documents issued by the BAC-PGCS for the Procurement of Twelve (12) Units of Body Scanner Machines (BAC-PGCS-31-2017), please be informed of the following amendments thereto, to wit:

#### “TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
		Bidders must state here either “Comply” or “Not Comply”
	<b>SPECIFICATIONS</b>	
	Physical Size: Not to exceed 850mm (height) and 600mm (width)	
	Weight: Not to exceed 35 kgs.	
	Operation Temperature: 0°C to 50°C	
	Relative Humidity: 95% non-condensing	
	Power Consumption: 75W to 100W	
	Input Voltage: 90V AC 264V AC, 47/63 Hz	
	Field of View: (Minimum at 4.5m) 750mm x 1200mm	
	Imaging Options: MMw	
	Imaging: User selectable with color options	
	Imaging Distance: 3m – 8m	
	Minimum Imaging Size: 5cm x 5cm	
	Detector Millimeter Wave	
	Frequency: Minimum at 150 GHz	
	Distance for full imaging of an individual: Full height at 5 meters from the unit or less.	
	<b>SOFTWARE</b>	
	Software should allow direct control of camera for fast capture of images	

VISION

By 2020, PPA shall have provided globally competitive port services in the Philippines characterized by increased productivity, efficiency, connectivity, comfort, safety, security and environmental sustainability.

MISSION


1. Provide reliable and responsive services in ports, sustain development of communities and the environment, and be a model corporate agency of the government.

	Camera exposure setting should be controlled via the software interface	
	Software should allow automated download of captured images	
	System must have a software that prevents tampering events.	
	<b>INTEGRATION</b>	
	An SDK to facilitate integration with broader security solutions	
	Ability to view up to 4 images to one laptop or work station	
	<b>ACCESSORIES/INCLUSIONS</b>	
	Mobile trolley	
	Laptop	
	Battery/UPS for mobile scanner and mobile trolley	
	Equipment Manual	
	Delete "Bespoke Display"	
	<b>MOBILE OPERATOR STAND</b>	
	Dimensions:	
	Height: Not to exceed 1000mm Width : Not to exceed 700mm	
	Weight: Maximum of 35 kgs.	
	Operating Temperature Range: 5 to 35 degrees celcius	
	Power Consumption: Less than 175W	
	External Connections: Main AC (power); Ethernet	
	Operational Environment: Indoors, dry and air-conditioned location	
	<b>ADDITIONAL REQUIREMENTS/SUPPLIER'S QUALIFICATIONS</b>	
	Delivery of equipment manuals	
	Training/Orientation	
	Pre-delivery Inspection	
	Certification as Authorized Distributor of the equipment	
	Certification of year of manufacture - 2017 onwards	
	TSA/CE Certification."	

Issued this 23<sup>rd</sup> day of January 2018

THE BIDS AND AWARDS COMMITTEE:

By



**ADRIAN FERDINAND S. SUGAY**  
Chairperson, HO-BAC-PGCS