



SUPPLEMENTAL BID BULLETIN NO. 3

PROCUREMENT OF FIREARMS FOR PORT POLICE

TO: All Prospective Bidders
Members, HO-BAC-PGCS
Other Concerned

Relative to the bid documents issued by BAC-PGCS for the Procurement of Firearms for Port Police, please be informed of the following amendments, to wit:

TERMS OF REFERENCE

I. COVERAGE

This procurement will cover two (2) sets of firearms:

Set 1 – 200 units 9mm Pistol

Set 2 – 75 units Shotgun

II. TYPES OF FIREARM AND TECHNICAL SPECIFICATIONS

SET 1 - 9mm PISTOL	
Caliber	9x19mm NATO or 9mm NATO
Slide	Steel/steel alloy or better
Barrel	Steel
Frame	Polymer with tactical rail
Finish	Corrosion and wear resistant
Action Type	Striker Fired
Magazine Capacity	17 rounds
Sight	Fixed steel front post and Steel Rear
	Notch with Tritium Inserts Low Profile
	Or equivalent
Safety (Shall have both Internal & External Safety)	External Safety: Either of the following: (Ambidextrous, Manual, Trigger, Grip Safety)

	Internal Safety: Either of the following: (Firing Pin block or Similar Device)
Magazine Release	Button or Lever Frame Mounted
	Adaptable for right and/or left handed users
Tactical Rail	Frame Integral
Weight	1kg (maximum) w/ empty magazine
Overall Length	8.6 inches (maximum)
Barrel Length	4 inches (minimum)
Grip Circumference	5.82 inches (maximum)
Trigger Pull	6.2 lbs. (maximum)
Quantity	200 Units

Magazine well shall be integrated to the pistol grip for a smoother magazine change.

SET 2 - SHOTGUN	
Caliber	12 gauge
Mode of Fire	Semi-automatic
Finish	Blued
Buttstock	Buttstock with pistol grip and extra shell carrier
Magazine Capacity	7 rounds
Sights	Fiber optic front sight; Adjustable rear sight
Barrel Length	20 inches (maximum)
Quantity	200 Units

III. DOCUMENTARY REQUIREMENTS

The following documents shall be submitted during the opening of bids:

1. **Brochure of each type of firearm.** One brochure for each type of firearm (pistol and shotgun) being offered shall be included during the submission of the bidding documents.
2. **Licenses:**
 - a) For local manufacturers: certified true copy of valid and current License to Manufacture Firearms/ Ammunitions issued by the Philippine National Police-Firearms and Explosives Office (FED-PNP).

- b) For importers/ traders / dealers / distributors: certified true copy of valid and current License to Operate and/or License to Deal in Firearms/Ammunitions issued by FED-PNP.
- 3. **List of Accredited Service Centers** (with available spare parts, indicating address, telephone and fax numbers, email address and contact person).
- 4. **Warranty certificate** for each/all unit shall be provided by the winning bidder, for parts and labor/services. This shall cover a period two (2) years to commence on the date of final acceptance by the PPA.
- 5. **Certificate of Availability of Spare Parts**, valid for a period of five (5) years from final acceptance by the PPA.

IV. OTHER TERMS AND CONDITIONS

1. Delivery

Delivery shall be completed within 90 days from receipt by the winning bidder of the Notice to Proceed.

2. Testing

Testing of each unit delivered shall be done upon complete delivery of all units by the winning bidder. This shall be the basis for the issuance of the PPA's Certificate of Acceptance.

Each unit shall be tested with full load – 17 rounds for pistol and 7 rounds for shotgun, fired with at least fifteen (15) meters distance from target.

The testing shall be done at the PPA Firing Range in South Harbor, Manila.

3. Repairs.

Repairs shall be done within Sixty days (60) days from receipt of notice of damage thereof. Any unserviceable unit shall be replaced by the Supplier with a new unit within ten (10) days from written notice by the PPA.

4. Design

Annex "A" is the pattern of the PPA logo, to be engraved by the supplier on each unit of firearm. Each bidder shall incorporate this cost in their financial bid.

Final layout of the logo to be embedded on the units shall be subject to approval of the Port Police Department, before mass implementation.

Technical Specifications


Item	Specification	Statement of Compliance
		<p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).</p>
9MM PISTOL		
1	Caliber: 9x19mm NATO or 9mm NATO	
	Slide: Steel/steel alloy or better	
	Barrel: Steel	
	Frame: Polymer with tactical rail	

	Finish: Corrosion and wear resistant	
	Action Type: Striker Fired	
	Magazine Capacity: 17 rounds	
	Sight: Fixed steel front post and Steel Rear; Notch with Tritium Inserts Low Profile: Or equivalent.	
	External Safety: Either of the following: (Ambidextrous, Manual, Trigger, Grip Safety) Internal Safety	
	Internal Safety: Either of the following: (Firing Pin block or Similar Device)	
	Magazine Release: Button or Lever Frame Mounted; Adaptable for right and/or left handed users.	
	Tactical Rail: Frame Integral	
	Weight: 1kg (maximum) w/ empty magazine	
	Overall Length: 8.6 inches (maximum)	
	Barrel Length: 4 inches (minimum)	
	Grip Circumference: 5.82 inches (maximum)	
	Trigger Pull: 6.2 lbs.(maximum)	
	Quantity: 200 Units	
	PPA Logo shall be embedded on the slide of each pistol.	
	Magazine well shall be integrated to the pistol grip for a smoother magazine change.	
SHOTGUN		
2	Caliber: 12 gauge	
	Mode of Fire: Semi-automatic	
	Finish: Blued	
	Magazine Capacity: 7 rounds	
	Sights: Fiber optic front sight; Adjustable rear sight	
	Barrel Length: 20 inches (maximum)	
	Quantity: 200 Units	

	PPA Logo shall be embedded on the left side of the receiver of the shotgun.	
3	Brochure - Pistol	
4	Brochure - Shotgun	
5	License (as Local Manufacturer or Importer/Trader/Dealer/Distributor)	
6	List of accredited service centers (with available spare parts, indicating address, telephone and fax numbers, email address and contact person.	
7	Warranty Certificate – for parts and labor/services, covering a period of two (2) years from date of final acceptance of the PPA.	
8	Certificate of Availability of Spare Parts – valid within five (5) years from final acceptance by PPA.	
9	Design (compliance to embedding requirements as per PPA's design)	

Issued this 22nd day of February 2019.

THE BIDS AND AWARDS COMMITTEE
By


MARK JON S. PALOMAR
Chairperson, HO-BAC